

**Sortimo®**

# **IVECO Outside – Sortimo Inside**



**... IDEAS FOR PROFESSIONALS**



# The perfect combination



You have chosen an IVECO LCV because it suits your space requirements, is economical and has the quality you need for your trade and service.

Globelyst is the most innovative in-vehicle equipment from Sortimo. Perfectly suited for your IVECO Daily. Turn your van into a mobile workshop. Flexibility is everything. We have developed an application specific range of modular in-vehicle equipment for your needs.

With the Sortimo Globelyst starter kit you can organise your vehicle for more efficient use. You can personalise your Sortimo system exactly to your own requirements at any stage by choosing from the range of Sortimo accessories.

**Why are you waiting? - Let's start working.**



There is no need to compromise. Even your most unique needs can be met with our Sortimo Globelyst system. A wide variety of service cases, boxes, drawers or troughs hold your small components and spare parts in place. Cargo bars and lashing rails hold the larger items in place. And folding work bench vices make your work easier – wherever you are.



3 year quality warranty



Crash tested



Organised



Upgradeable



Light weight



Professional



MaxxiSpaceFrame

## Drawers

100 % extension, inset boxes are optional



The **L-BOXX** comes in in four different sizes and fitted with inserts for various applications.



## S-BOXX

Sturdy small components box, removable and stackable



**Service case** with inset boxes or dividers



## M-BOXX


Large removable box, handle and lid an option.



**Sowaflex®** wall protection



**Lift-up flap** space-saving swivel assembly



**Sobogrip® or Soboflex®** Safety floors



**T-BOXX** – the transparent plastic case with insert boxes

# Crash tested for your safety.



At Sortimo, we've got you covered.



Crash testet

Passive safety plays an important role for the automotive industry, however, it is barely evident when it comes to load safety. Sortimo has worked intensively with your duty-of-care in mind on improving in-vehicle load safety systems.

Ultimately, it is the crash test results that determine the range of products that we offer. In cooperation with accident research agencies and the German automobile club we've been conducting live crash tests for more than 20 years.

This is the only way to find out if our equipment meets the current safety criteria.

We've passed all the tests with flying colours as a result of our systematic safety developments. Only these products, which survive the crash testing, will be taken into the Sortimo range.

## Did you know....

At an impact speed of 50 mph, 550 kg of load develops the peak force of 11 tons.





# IVECO Daily

Wheelbase: 3000 mm

Additional  
vehicle models on  
request



## Driver side (left)



### Soboflex® Safety floor

- ▶ Multiplex 12 mm
- ▶ Non slip flooring
- ▶ Cut to measure for all vehicle models
- ▶ No drilling of the vehicle floor
- ▶ Abrasion-proof and easy to clean



DY KU LI-1

- ▶ 6 open trough shelves with 3 dividers each and mats
- ▶ 1 open shelf with rim, 3 dividers and mat
- ▶ 1 open shelf with 2 M-BOXXes with handle and 1 S-BOXX
- ▶ 1 lashing strap

(W x D x H): 2456 x 382 x 1372 mm  
Weight: approx. 67.4 kg



DY KU LI-2

- ▶ 6 open trough shelves with 3 dividers each and mats
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 2 T-BOXXes
- ▶ 2 drawers with dividers and mats
- ▶ 1 lashing strap

(W x D x H): 2456 x 382 x 1372 mm  
Weight: approx. 86.9 kg



DY KU LI-3

- ▶ 4 open trough shelves with 3 dividers each and mats
- ▶ 2 open shelves with 7 S-BOXXes each
- ▶ 1 open shelf with rim, 3 dividers and mat
- ▶ 1 open shelf with drop front
- ▶ 1 case clamp
- ▶ 1 lift up flap
- ▶ 1 floor lashing track

(W x D x H): 2456 x 382 x 1372 mm  
Weight: approx. 78.4 kg




DY KU LI-4

- ▶ 1 long components trough
- ▶ 2 open shelves with 7 S-BOXXes each
- ▶ 2 open shelves with rim, 6 dividers and mats
- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 5 drawers with dividers and mats
- ▶ 1 case clamp
- ▶ 1 lashing track
- ▶ 1 lift up flap

(W x D x H): 2456 x 382 x 1392 mm  
Weight: approx. 99.1 kg

## Passenger side (right)



### Sowaflex® Wall cladding

- ▶ Protects the vehicle against internal damage
- ▶ Highly resistant to cracking and shock loads
- ▶ Damp and chemical resistant
- ▶ Cut to measure for all vehicle models
- ▶ 60 % lighter than wood



DY KU RE-1

- ▶ 4 open trough shelves with 3 dividers each and mats

(W x D x H): 1246 x 382 x 1372 mm  
Weight: approx. 35.9 kg



DY KU RE-2

- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 1 open shelf with 7 S-BOXXes
- ▶ 4 drawers with dividers and mats

(W x D x H): 1246 x 382 x 1372 mm  
Weight: approx. 52.1 kg



DY KU RE-3

- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 3 drawers with dividers and mats
- ▶ 2 T-BOXXes on trays
- ▶ 1 service case on a tray
- ▶ 1 lift up flap
- ▶ 1 floor lashing track

(W x D x H): 1246 x 382 x 1372 mm  
Weight: approx. 71.1 kg



DY KU RE-4

- ▶ 2 open trough shelves with 6 dividers and mats
- ▶ 4 drawers with dividers and mats
- ▶ 4 service cases on trays
- ▶ 1 lashing track
- ▶ 1 lift up flap
- ▶ 1 folding workbench with vice
- ▶ 1 stowage tray

(W x D x H): 1466 x 382 x 1372 mm  
Weight: 102.9 kg


# IVECO Daily

Wheelbase: 3300 mm

Additional  
vehicle models on  
request



## Driver side (left)



### Soboflex® Safety floor

- ▶ Multiplex 12 mm
- ▶ Non slip flooring
- ▶ Cut to measure for all vehicle models
- ▶ No drilling of the vehicle floor
- ▶ Abrasion-proof and easy to clean



DY MI LI-1

- ▶ 11 open trough shelves with 2 or 3 dividers each and mats
- ▶ 3 open shelves with 6 S-BOXXes
- ▶ 4 drawers with dividers and mats
- ▶ 1 case clamp
- ▶ 1 lashing strap

(W x D x H): 3182 x 382 x 1696 mm  
Weight: approx. 128.6 kg



DY MI LI-2

- ▶ 1 long components trough
- ▶ 2 open shelves with 9 S-BOXXes each
- ▶ 6 open trough shelves with 3 dividers each and mats
- ▶ 1 open shelf with 3 M-BOXXes with handles
- ▶ 1 case clamp
- ▶ 1 lift up flap

(W x D x H): 2940 x 382 x 1715 mm  
Weight: approx. 110.6 kg



DY MI LI-3

- ▶ 6 open trough shelves with 2 or 3 dividers each and mats
- ▶ 2 open shelves with 4 or 9 S-BOXXes
- ▶ 5 drawers with dividers and mats

(W x D x H): 2214 x 382 x 1695 mm  
Weight: approx. 101.0 kg



DY MI LI-4

- ▶ 6 open trough shelves with 1 or 3 dividers each and mats
- ▶ 4 open shelves with 2, 7 or 9 S-BOXXes
- ▶ 1 open shelf with rim, 3 dividers and mat
- ▶ 2 open shelves with drop front
- ▶ 3 T-BOXXes
- ▶ 2 service cases on trays
- ▶ 1 case clamp
- ▶ 2 lashing tracks ▶ 1 lift up flap
- ▶ 1 lashing strap ▶ 1 floor lashing track

(W x D x H): 3182 x 382 x 1695 mm  
Weight: approx. 151.7 kg

## Passenger side (right)



### Sowaflex® Wall cladding

- ▶ Protects the vehicle against internal damage
- ▶ Highly resistant to cracking and shock loads
- ▶ Damp and chemical resistant
- ▶ Cut to measure for all vehicle models
- ▶ 60 % lighter than wood



DY MI RE-1

- ▶ 5 open trough shelves with 3 dividers each and mats

(W x D x H): 1488 x 382 x 1695 mm  
Weight: approx. 48.5 kg



DY MI RE-2

- ▶ 4 open trough shelves with 8 dividers and mats
- ▶ 2 open shelves with 4 or 6 S-BOXXes
- ▶ 1 open shelf with drop front
- ▶ 1 open shelf with rim, 2 dividers and mat
- ▶ 3 drawers with dividers and mats
- ▶ 1 open trough shelf with mat
- ▶ 3 T-BOXXes on trays

(W x D x H): 1730 x 382 x 1695 mm  
Weight: approx. 105.4 kg



DY MI RE-3

- ▶ 4 open trough shelves with 1 or 3 dividers and mats
- ▶ 2 open shelves with 2 or 7 S-BOXXes
- ▶ 7 drawers with dividers and mats
- ▶ 5 T-BOXXes on trays
- ▶ 1 folding workbench with vice
- ▶ 1 stowage tray

(W x D x H): 1950 x 382 x 1695 mm  
Weight: approx. 143.7 kg



DY MI RE-4

- ▶ 3 open trough shelves with 6 dividers and mats
- ▶ 7 drawers with dividers and mats
- ▶ 1 work surface
- ▶ 2 lashing tracks
- ▶ 2 lift up flaps
- ▶ 2 floor lashing tracks

(W x D x H): 1730 x 486 x 1559 mm  
Weight: 93.9 kg

# Mobility has a new dimension



## Four sizes - a thousand options

Transport small components, tools and machines together. The new L-BOXX is the perfect solution for all mobile requirements. Thanks to the user-friendly innovative click system, individual BOXXes click into each other easily.

**L-BOXX®**



**NEW**



The superior ergonomic handling and integration of the L-BOXX into the market leading Sortimo in-vehicle equipment system is a must have for all tradesmen, service technicians and field representatives.

Need more information?  
Please call our Free hotline  
service 0800 7678466 or  
[www.sortimo.com](http://www.sortimo.com)






## The mobile office

### Automanager, Autoassistant and Office bag



Being on the road a lot you know the problem; files, samples, notebook – everything has to be carried with you, from the car to the client and then back again. An elegant solution for this problem is the very practical Sortimo **Automanager**.

Securely lashed to the passenger seat and well protected against theft, it is a companion you do not want to be without. With its extensible, rotating notebook table and large inner compartment you have a complete work station on hand.



Everything on board. Everything under control. The Sortimo **Autoassistant** has everything that the mobile tradesman and service technician needs beside them on the passenger seat.

It has a practical desk pad with a bottle holder for a 1.5 litre bottle, a flexible clamp for notes and ample room inside the box for various documents and other items. Two storage pockets for files and brochures at the back round off the system.



Always to hand, regardless of whether you are in the vehicle or outside on your way to a customer. The bag offers ample room for your mobile phone, pens, documents or writing pads. In no time at all, the **office bag** transforms into a file or laptop bag. It is securely fastened by means of quick-release straps to the headrest and the passenger seat.

## The new Sortimo TopSystem

### more than just a roof rack



**Basic solution:**  
 ▶ 4 legs with 2 cross members



**Standard solution:**  
 ▶ 6 legs with 3 cross members  
 ▶ 2 aluminium side rails  
 ▶ 1 loading roller  
 ▶ 3 lashing straps with patented quick release anchors  
 ▶ 4 profile supports for variable installation



**Premium solution:**  
 ▶ 6 legs with 3 cross members  
 ▶ 2 aluminium side rails  
 ▶ 1 transport tube  
 ▶ 4 profile supports for variable installation  
 ▶ 1 lashing strap with patented quick release anchors  
 ▶ 1 roof rack footbridge  
 ▶ 1 loading roller  
 ▶ 2 orange warning beacons

The sophisticated roof rack system offers you all the variability you need. Depending on your requirements you decide if the basic roof rack solution is sufficient or if you need a solution with added features for your job. The basic roof rack solution can be upgraded whenever you need it.



# Sortimo Original Accessories


## Lashing systems



01 ratchet strap to suit tracking



02 pinch strap to suit tracking



03 set for gas bottle holder




04 floor eyelet



05 lashing track  
(Available in different lengths)



06 screw on lashing track  
(Available in different lengths)



07 alu lashing track,  
can be countersunk in  
Soboflex safety floor



08 alu cargo bars



09 telescopic ladder 2.3 m



10 telescopic ladder, 3.3 m



11 load security net (VDI 2700 tested)



12 lashing track bag  
(lashing not included)



13 lashing track Q/R eye

## Hygiene



14 paper towel holder



15 waste basket with wall bracket



16 soap dispenser with wall bracket



17 water tap set, 10 litres

## Lighting



18 lamp 12 V, 2 x 8 W (360 x 50 x 55 mm)



19 battery operated torch  
incl. mains charger 12 V



20 hand held worklamp 12 V  
with magnetic base

## Tool holder sets




21 stowage tray



22 document pocket



23 cable holder



24 hose/cable holder



25 cable reel holder to be  
attached to long component  
trough or open trough shelf



26 anti slip protective corners



27 perfo hooks - 18 piece set

Many additional accessories available.



**At your service –  
please call us any time!**

Tel. +49 8291 850-0  
Fax +49 8291 850-250  
E-mail [info@sortimo.com](mailto:info@sortimo.com)

**[www.sortimo.com](http://www.sortimo.com)**

**Sortimo<sup>®</sup>**

Sortimo International GmbH  
Dreilindenstraße 5  
D-86441 Zusmarshausen  
Tel. +49 8291 850-0  
Fax +49 8291 850-250  
E-Mail [info@sortimo.com](mailto:info@sortimo.com)

**Sortimo<sup>®</sup>**  
*inside*